

SAFETY DATA SHEET

BioOcean[®] Human FGF-19 ELISA Kit

Section 1. Identification

GHS product identifier Code: BioOcean® Human FGF-19 ELISA Kit, EK1113 Other means of identification: Not available Trade name: Human FGF-19 ELISA Kit Supplier/Manufacturer 3550 Lexington Ave, Suite 203, Shoreview, Minnesota 55126 In case of emergency: Bio-Ocean: 1-800-852-7601

Section 2. Hazards identification

| OSHA/HCS status: | BioOcean® anti-Human FGF-19 detect antibody(100X) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for |
|---|---|---|
| | BioOcean® Human FGF-19 Standard (lyophilized) | employees and other users of this product. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| | BioOcean [®] Stop Solution | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| Classification of the substance or mixture: | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not classified. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not classified. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate | Not classified. |
| | Reagent BioOcean [®] Stop Solution | Not classified. |
| GHS label elements | | |
| Signal word | BioOcean® anti-Human FGF-19 detect antibody(100X) | No signal word. |
| | BioOcean® Human FGF-19 Standard (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No signal word. No signal word. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | No signal word. |
| | BioOcean [®] Stop Solution | No signal word. |
| Hazard statements | BioOcean® anti-Human FGF-19 detect antibody(100X) | No known significant effects or critical hazards. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No known significant effects or critical hazards. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent BioOcean [®] Stop Solution | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | | . |
| Precautionary statements General | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not applicable. |
| General | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not applicable. |



| | | A BETTER APPROACH FOR B |
|----------------------------------|---|------------------------------------|
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | BioOcean [®] Stop Solution | Not applicable. |
| Prevention | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not applicable. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not applicable. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate | Not applicable. Not applicable. |
| | Reagent BioOcean [®] Stop Solution | Not applicable. |
| Response | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not applicable. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not applicable. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate | Not applicable. Not applicable. |
| | Reagent | |
| | BioOcean [®] Stop Solution | Not applicable. |
| Storage | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not applicable. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not applicable. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not applicable. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | BioOcean [®] Stop Solution | Not applicable. |
| Disposal | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not applicable. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not applicable. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, | Not applicable. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | Not applicable. |
| | BioOcean [®] Stop Solution | Not applicable. |
| Supplemental label elements | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | None known. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | None known. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | BioOcean [®] Stop Solution | None known. |
| Hazards not otherwise classified | BioOcean® anti-Human FGF-19 detect antibody(100X) | None known. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | None known. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | None known. |
| | BioOcean [®] Stop Solution | None known. |

Section 3. Composition/information on ingredients

| Substance/mixture: Mixture | _ | |
|---|----------|------------|
| Ingredient name | % | CAS number |
| BioOcean [®] Human FGF-19 Standard | 99.9-100 | - |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures



| Section 4. First aid measu | | |
|---|---|---|
| Description of necessary first aid Eye contact | Measures BioOcean® anti-Human FGF-19 detect antibody(100X) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | BioOcean [®] Stop Solution | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | BioOcean® anti-Human FGF-19 detect antibody(100X) BioOcean® Human FGF-19 Standard (lyophilized) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent BioOcean® Stop Solution | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | BioOcean® anti-Human FGF-19 detect antibody(100X) BioOcean® Human FGF-19 Standard (lyophilized) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent BioOcean [®] Stop Solution | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | BioOcean® anti-Human FGF-19 detect antibody(100X) | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| | BioOcean [®] Stop Solution | medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by |
| Most important symptoms/effects | , acute and delayed Potential acute hea | medical personnel. Get medical attention if symptoms occur. Ith effects |
| Eye contact | BioOcean® anti-Human FGF-19 detect antibody(100X) BioOcean® Human FGF-19 Standard (lyophilized) | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | BioOcean [®] Stop Solution | No known significant effects or critical hazards. |
| Inhalation | BioOcean® anti-Human FGF-19 detect antibody(100X) | No known significant effects or critical hazards. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No known significant effects or critical hazards. |



| | | A BETTER APPROACH FOR BIOLOGICAL RESEARCH |
|------------------------------|--|---|
| | BioOcean® PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate | No known significant effects or critical hazards. |
| | Reagent BioOcean® Stop Solution | No known significant effects or critical hazards. |
| Skin contact | BioOcean® anti-Human FGF-19 detect antibody(100X) | No known significant effects or critical hazards. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No known significant effects or critical hazards. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No known significant effects or critical hazards. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | BioOcean [®] Stop Solution | No known significant effects or critical hazards. |
| Ingestion | BioOcean® anti-Human FGF-19 detect antibody(100X) | No known significant effects or critical hazards. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No known significant effects or critical hazards. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, | No known significant effects or critical hazards. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | No known significant effects or critical hazards. |
| | BioOcean [®] Stop Solution | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent BioOcean® Stop Solution | No specific data. No specific data. |
| | bloccan stop solution | No specific data. |
| Inhalation | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | BioOcean [®] Stop Solution | No specific data. |
| Skin contact | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | BioOcean [®] Stop Solution | No specific data. |
| Ingestion | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent BioOcean® Stop Solution | No specific data. No specific data. |
| | bioocean stop solution | No specific uata. |

Indication of immediate medical attention and special treatment needed, if necessary, see toxicological information (Section 11)

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|----------------------------|---|
| Specific treatments | No specific treatment |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. |

Section 5. Fire-fighting measures

Extinguishing media Suitable extinguishing

| extinguishing media | BioOcean® anti-Human FGF-19 detect antibodv(100X) | Use an extinguishing agent suitable for the surrounding fire. |
|---------------------|--|---|
| | BioOcean® Human FGF-19 Standard (lyophilized) | Use an extinguishing agent suitable for the surrounding fire. |



| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | A BETTER APPROACH FOR BIOLOGICAL RESEARCH Use an extinguishing agent suitable for the surrounding fire. |
|--|--|--|
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Use an extinguishing agent suitable for the surrounding fire. |
| | BioOcean [®] Stop Solution | Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | None known. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | None known. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | None known. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate | None known. |
| | Reagent BioOcean [®] Stop Solution | None known. |
| Specific hazards arising from the chemical | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, | In a fire or if heated, a pressure increase will occur and the container |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate | may burst. In a fire or if heated, a pressure increase will occur and the container |
| | Reagent BioOcean [®] Stop Solution | may burst. In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate | No specific data. |
| | Reagent BioOcean [®] Stop Solution | No specific data. |
| Special protective actions for fire-fighters | BioOcean® anti-Human FGF-19 detect antibody(100X) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| - | BioOcean® Human FGF-19 Standard (lyophilized) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving |
| | BioOcean [®] Stop Solution | any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | BioOcean® anti-Human FGF-19 detect antibody(100X) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | BioOcean® Human FGF-19 Standard (Iyophilized) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece |
| | BioOcean [®] Stop Solution | operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Section 6. Accidental relea | ise measures | |
| Dersonal processions, protective or | | |

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".



A BETTER APPROACH FOR BIOLOGICAL RESEARCH Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

| Methods and materials for con | itainment and cleaning up |
|-------------------------------|--|
| Small spill | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | | |
|---|---|--|
| Protective measures | BioOcean® anti-Human FGF-19 detect antibody(100X) | Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). |
| | BioOcean® Human FGF-19 Standard (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Reagent BioOcean® Stop Solution | Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). |
| Advice on general occupational hygiene | BioOcean® anti-Human FGF-19 detect antibody(100X) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | BioOcean [®] Stop Solution | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage including any incompatibilities | BioOcean® anti-Human FGF-19 detect antibody(100X) | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in |
| | BioOcean® Human FGF-19 Standard (lyophilized) | original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. |



BioOcean[®] Streptavidin-HRP (100x) and Substrate Reagent

BioOcean® Stop Solution

A BETTER APPROACH FOR BIOLOGICAL RESEARCH Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

Section 8. Exposure controls/personal protection

Control parameters Occupational exposure limits None

| Appropriate engineering controls | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|--|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields. |
| Skin protection | |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the |

hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

| Physical state | BioOcean® anti-Human FGF-19 detect antibody(100X) BioOcean® Human FGF-19 Standard | Liquid. Solid |
|----------------|---|------------------|
| | (lyophilized) | the state |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Liquid. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Liquid. |
| | BioOcean [®] Stop Solution | Liquid. |
| Color | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |



| | | A BETTER APPROACH FO |
|--|--|----------------------|
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean® Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Odor | BioOcean [®] anti-Human FGF-19 detect | Not available. |
| | antibody(100X) BioOcean® Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Dilyopt on Washing by ffer) | Not available. |
| | Diluent or Washing buffer) BioOcean [®] Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| Flash point | BioOcean® anti-Human FGF-19 detect | Not available. |
| | antibody(100X) BioOcean® Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, | Not available. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| | | |
| Auto-ignition temperature | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Flammable limits | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Molecular weight | BioOcean [®] anti-Human FGF-19 detect | Not available. |
| J. J | antibody(100X) BioOcean® Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, | Not available. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| Molecular formula | BioOcean [®] anti-Human FGF-19 detect | Not available. |
| Molecular formula | antibody(100X) BioOcean [®] Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, | Not available. |
| | Diluent or Washing buffer) BioOcean [®] Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean® Stop Solution | Not available. |
| | biolocan Stop Solution | |
| рН | BioOcean® anti-Human FGF-19 detect antibody(100X) | 7.0-7.2 |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | 7.0-7.2 |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | 7.0-7.2 |
| | BioOcean [®] Stop Solution | 1.1-1.3 |
| | | |



| | | A BETTER APPROACH FOR BIOLOGICAL |
|-----------------------------------|--|----------------------------------|
| Boiling/condensation point | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Melting/freezing point | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Relative density | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Vapor pressure | BioOcean® anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean [®] Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Divert or Werking huffer) | Not available. |
| | Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| Vapor density | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (Iyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Volatility | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean [®] Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Divert or Werking huffer) | Not available. |
| | Diluent or Washing buffer) BioOcean [®] Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| Evaporation rate | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean [®] Human FGF-19 Standard | Not available. |
| | (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Divert or Werking huffer) | Not available. |
| | Diluent or Washing buffer) BioOcean [®] Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent BioOcean [®] Stop Solution | Not available. |
| Viscosity | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and | Not available. |
| | Substrate Reagent | |



| | BioOcean [®] Stop Solution | Not available. |
|---------------------------------------|--|----------------|
| Solubility | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean® Human FGF-19 Standard (Iyophilized) | Not available. |
| | BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |
| Physical/chemical properties comments | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Not available. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | Not available. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Not available. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | Not available. |
| | BioOcean [®] Stop Solution | Not available. |

Section 10. Stability and reactivity

| Section 10. Stability and rea | Clivicy | |
|------------------------------------|---|---|
| Reactivity | BioOcean® anti-Human FGF-19 detect antibody(100X) BioOcean® Human FGF-19 Standard (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Reagent BioOcean® Stop Solution | No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | The product is stable. |
| | BioOcean® Human FGF-19 Standard (lyophilized) | The product is stable. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | The product is stable. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | The product is stable. |
| | BioOcean [®] Stop Solution | The product is stable. |
| Possibility of hazardous reactions | BioOcean® anti-Human FGF-19 detect antibody(100X) | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| | BioOcean® Human FGF-19 Standard (lyophilized) BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| | BioOcean [®] Stop Solution | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | BioOcean [®] anti-Human FGF-19 detect antibody(100X) | No specific data. |
| | BioOcean [®] Human FGF-19 Standard (lyophilized) | No specific data. |
| | BioOcean [®] PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer) | No specific data. |
| | BioOcean [®] Streptavidin-HRP (100x) and Substrate Reagent | No specific data. |
| | BioOcean [®] Stop Solution | No specific data. |
| Incompatible materials | BioOcean® anti-Human FGF-19 detect antibody(100X) | No specific data. |

Hazardous decomposition

products



| BioOcean [®] Human FGF-19 Standard (Iyophilized) | No specific data. |
|---|--------------------|
| BioOcean [®] PBS Buffer with Tween 20 (Assay, | No specific data. |
| Diluent or Washing buffer) BioOcean® Streptavidin-HRP (100x) and | No specific data. |
| Substrate Reagent | ito specific data. |
| BioOcean [®] Stop Solution | No specific data. |

| BioOcean [®] Stop Solution | No specific data. |
|--|--|
| | |
| BioOcean [®] anti-Human FGF-19 detect antibody(100X) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| BioOcean® Human FGF-19 Standard (lyophilized) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| BioOcean [®] PBS Buffer with Tween 20 (Assay, | Under normal conditions of storage and use, hazardous |
| Diluent or Washing buffer) | decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| BioOcean [®] Streptavidin-HRP (100x) and | Under normal conditions of storage and use, hazardous |
| Substrate Reagent | decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products about the product and the storage and the storag |

should not be produced.

should not be produced.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products

BioOcean[®] Stop Solution

Section 11. Toxicological information

Information on toxicological effects Acute toxicity: Not available. Irritation/Corrosion: Not available. Sensitization: Not available. Mutagenicity: Not available. Carcinogenicity: Not available. Reproductive toxicity: Not available. Teratogenicity: Not available. Specific target organ toxicity (single exposure): Not available. Specific target organ toxicity (repeated exposure): Not available. Aspiration hazard: Not available. Information on the likely routes of exposure: Not available.

Potential acute health effects

Eye contact: Not available. Inhalation: Not available. Skin contact: Not available. Ingestion: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Not available. Inhalation: Not available. Skin contact: Not available. Ingestion: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Long term exposure: Not available. Potential immediate effects: Not available. Potential delayed effects: Not available. Potential chronic health effects: General: Not available. Carcinogenicity: Not available. Mutagenicity: Not available.



Teratogenicity: Not available. Developmental effects: Not available. Fertility effects: Not available. Numerical measures of toxicity Acute toxicity estimates: Not available. Interactive effects: Not available. Other information: Not available. Section 12. Ecological information Toxicity: Not available. Persistence and degradability: Not available. Bioaccumulative potential: Not available. Mobility in soil Soil/water partition: coefficient (Koc) BioOcean[®] anti-Human FGF-19 detect antibody(100X) Not available. BioOcean[®] Human FGF-19 Standard (lyophilized) Not available BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Not available Washing buffer) BioOcean® Streptavidin-HRP (100x) and Substrate Not available. Reagent Not available BioOcean[®] Stop Solution

Mobility: Not available.

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ADR/RID | IMDG | ΙΑΤΑ |
|-------------------------|--------------------|-----------------------|--------------------------|----------------|----------------|----------------|
| UN number | Not available. | Not available. | Not available. | Not available. | Not available. | Not available. |
| UN proper shipping name | Not available. | Not available. | Not available. | Not available. | Not available. | Not available. |
| Packing group | - | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. | No. |
| Additional information | - | - | - | - | - | - |

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not available.

Section 15. Regulatory information

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs): Not listed Clean Air Act Section 602 Class I Substances: Not listed Clean Air Act Section 602 Class II Substances: Not listed DEA List I Chemicals (Precursor Chemicals): Not listed DEA List II Chemicals (Essential Chemicals): Not listed SARA 302/304 Composition/information on ingredients

| News | 0/ | FUC | SARA 302 TPQ | | SARA 304 RQ | |
|---|-----|------|--------------|-----------|-------------|-----------|
| Name | % | EHS | (lbs) | (gallons) | (lbs) | (gallons) |
| BioOcean [®] Substrate Reagent with hydrogen peroxide | 0-1 | Yes. | 1000 | 106.1 | 1000 | 106.1 |

SARA 304 RQ: 68292000 lbs / 31004568 kg

SARA 311/312 Classification: Not applicable.

Composition/information on ingredients: No products were found.

State regulations



Massachusetts: None of the components are listed. New York: None of the components are listed. New Jersey: None of the components are listed. Pennsylvania: None of the components are listed.

Section 15. Regulatory information International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. Montreal Protocol (Annexes A, B, C, E) Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. Rotterdam Convention on Prior Inform Consent (PIC) Not listed. UNECE Aarhus Protocol on POPs and Heavy Metals Not listed. Canada BioOcean[®] anti-Human FGF-19 detect Not controlled under WHMIS (Canada). WHMIS (Canada) antibodv(100X) BioOcean[®] Human FGF-19 Standard Not controlled under WHMIS (Canada). (lyophilized) BioOcean[®] PBS Buffer with Tween 20 (Assay, Not controlled under WHMIS (Canada). Diluent or Washing buffer) BioOcean[®] Streptavidin-HRP (100x) and Not controlled under WHMIS (Canada). Substrate Reagent BioOcean[®] Stop Solution Not controlled under WHMIS (Canada). Canadian lists Canadian NPRI: None of the components are listed. CEPA Toxic substances: None of the components are listed

Section 16. Other information

Canada inventory: Not determined.

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. National Fire Protection Association (U.S.A.)



History Date of issue/Date of revision: 6/11/2016 Date of previous issue: No previous validation. Version: 1 Section 16. Other information Key to abbreviations: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods



LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.