

# SAFETY DATA SHEET

## BioOcean® Mouse IL-17A High Sensitivity ELISA Kit

### Section 1. Identification

**GHS product identifier Code:** BioOcean® Mouse IL-17A High Sensitivity ELISA Kit, EK217HS

**Other means of identification:** Not available

**Trade name:** Mouse IL-17A High Sensitivity ELISA Kit

**Supplier/Manufacturer** 3550 Lexington Ave, Suite 203, Shoreview, Minnesota 55126

**In case of emergency:** Bio-Ocean: 1-800-852-7601

### Section 2. Hazards identification

#### OSHA/HCS status:

BioOcean® anti-Mouse IL-17A detect antibody(100X)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® Mouse IL-17A Standard (lyophilized)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® Stop Solution

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® Amplification Reagent

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

BioOcean® Amplification Diluent

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

#### Classification of the substance or mixture:

BioOcean® anti-Mouse IL-17A detect antibody(100X)

Not classified.

BioOcean® Mouse IL-17A Standard (lyophilized)

Not classified.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Not classified.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

Not classified.

BioOcean® Stop Solution

Not classified.

BioOcean® Amplification Reagent

Not classified.

BioOcean® Amplification Diluent

Not classified.

#### GHS label elements

##### Signal word

BioOcean® anti-Mouse IL-17A detect antibody(100X)

No signal word.

BioOcean® Mouse IL-17A Standard (lyophilized)

No signal word.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

No signal word.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

No signal word.

BioOcean® Stop Solution

No signal word.

BioOcean® Amplification Reagent

No signal word.

BioOcean® Amplification Diluent

No signal word.

<b>Hazard statements</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No known significant effects or critical hazards.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No known significant effects or critical hazards.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No known significant effects or critical hazards.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No known significant effects or critical hazards.
	BioOcean® Stop Solution	No known significant effects or critical hazards.
	BioOcean® Amplification Reagent	No known significant effects or critical hazards.
	BioOcean® Amplification Diluent	No known significant effects or critical hazards.
<b>Precautionary statements</b> <b>General</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not applicable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not applicable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not applicable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not applicable.
	BioOcean® Stop Solution	Not applicable.
	BioOcean® Amplification Reagent	Not applicable.
	BioOcean® Amplification Diluent	Not applicable.
<b>Prevention</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not applicable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not applicable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not applicable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not applicable.
	BioOcean® Stop Solution	Not applicable.
	BioOcean® Amplification Reagent	Not applicable.
	BioOcean® Amplification Diluent	Not applicable.
<b>Response</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not applicable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not applicable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not applicable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not applicable.
	BioOcean® Stop Solution	Not applicable.
	BioOcean® Amplification Reagent	Not applicable.
	BioOcean® Amplification Diluent	Not applicable.
<b>Storage</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not applicable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not applicable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not applicable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not applicable.
	BioOcean® Stop Solution	Not applicable.
	BioOcean® Amplification Reagent	Not applicable.
	BioOcean® Amplification Diluent	Not applicable.
<b>Disposal</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not applicable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not applicable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not applicable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not applicable.
	BioOcean® Stop Solution	Not applicable.
	BioOcean® Amplification Reagent	Not applicable.
	BioOcean® Amplification Diluent	Not applicable.
<b>Supplemental label elements</b>	BioOcean® anti-Mouse IL-17A detect antibody(100X)	None known.
	BioOcean® Mouse IL-17A Standard (lyophilized)	None known.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	None known.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	None known.
BioOcean® Stop Solution	None known.
BioOcean® Amplification Reagent	None known.
BioOcean® Amplification Diluent	None known.

#### Hazards not otherwise classified

BioOcean® anti-Mouse IL-17A detect antibody(100X)	None known.
BioOcean® Mouse IL-17A Standard (lyophilized)	None known.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	None known.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	None known.
BioOcean® Stop Solution	None known.
BioOcean® Amplification Reagent	None known.
BioOcean® Amplification Diluent	None known.

## Section 3. Composition/information on ingredients

### Substance/mixture: Mixture

Ingredient name	%	CAS number
BioOcean® Mouse IL-17A Standard	99.9-100	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

#### Eye contact

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® Mouse IL-17A Standard (lyophilized)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® Stop Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® Amplification Reagent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
BioOcean® Amplification Diluent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

#### Inhalation

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® Mouse IL-17A Standard (lyophilized)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® Stop Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® Amplification Reagent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BioOcean® Amplification Diluent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

#### Skin contact

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
BioOcean® Mouse IL-17A Standard (lyophilized)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BioOcean® Stop Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BioOcean® Amplification Reagent	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BioOcean® Amplification Diluent	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® Stop Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® Amplification Reagent	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BioOcean® Amplification Diluent	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed Potential acute health effects		
Eye contact	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No known significant effects or critical hazards.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No known significant effects or critical hazards.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No known significant effects or critical hazards.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No known significant effects or critical hazards.
	BioOcean® Stop Solution	No known significant effects or critical hazards.
	BioOcean® Amplification Reagent	No known significant effects or critical hazards.
	BioOcean® Amplification Diluent	No known significant effects or critical hazards.
Inhalation	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No known significant effects or critical hazards.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No known significant effects or critical hazards.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No known significant effects or critical hazards.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No known significant effects or critical hazards.
	BioOcean® Stop Solution	No known significant effects or critical hazards.
	BioOcean® Amplification Reagent	No known significant effects or critical hazards.
	BioOcean® Amplification Diluent	No known significant effects or critical hazards.
Skin contact	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No known significant effects or critical hazards.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No known significant effects or critical hazards.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No known significant effects or critical hazards.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No known significant effects or critical hazards.
	BioOcean® Stop Solution	No known significant effects or critical hazards.

	BioOcean® Amplification Reagent	No known significant effects or critical hazards.
	BioOcean® Amplification Diluent	No known significant effects or critical hazards.
Ingestion	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No known significant effects or critical hazards.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No known significant effects or critical hazards.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No known significant effects or critical hazards.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No known significant effects or critical hazards.
	BioOcean® Stop Solution	No known significant effects or critical hazards.
	BioOcean® Amplification Reagent	No known significant effects or critical hazards.
	BioOcean® Amplification Diluent	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific data.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific data.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific data.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific data.
	BioOcean® Stop Solution	No specific data.
	BioOcean® Amplification Reagent	No specific data.
	BioOcean® Amplification Diluent	No specific data.
Inhalation	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific data.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific data.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific data.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific data.
	BioOcean® Stop Solution	No specific data.
	BioOcean® Amplification Reagent	No specific data.
	BioOcean® Amplification Diluent	No specific data.
Skin contact	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific data.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific data.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific data.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific data.
	BioOcean® Stop Solution	No specific data.
	BioOcean® Amplification Reagent	No specific data.
	BioOcean® Amplification Diluent	No specific data.
Ingestion	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific data.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific data.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific data.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific data.
	BioOcean® Stop Solution	No specific data.
	BioOcean® Amplification Reagent	No specific data.
	BioOcean® Amplification Diluent	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary, see toxicological information (Section 11)		
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	No specific treatment	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	
Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Use an extinguishing agent suitable for the surrounding fire.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Use an extinguishing agent suitable for the surrounding fire.

	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Use an extinguishing agent suitable for the surrounding fire.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Use an extinguishing agent suitable for the surrounding fire.
	BioOcean® Stop Solution	Use an extinguishing agent suitable for the surrounding fire.
	BioOcean® Amplification Reagent	Use an extinguishing agent suitable for the surrounding fire.
	BioOcean® Amplification Diluent	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	BioOcean® anti-Mouse IL-17A detect antibody(100X)	None known.
	BioOcean® Mouse IL-17A Standard (lyophilized)	None known.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	None known.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	None known.
	BioOcean® Stop Solution	None known.
	BioOcean® Amplification Reagent	None known.
Specific hazards arising from the chemical	BioOcean® Amplification Diluent	None known.
	BioOcean® anti-Mouse IL-17A detect antibody(100X)	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® Mouse IL-17A Standard (lyophilized)	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® Stop Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	BioOcean® Amplification Reagent	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® Amplification Diluent	In a fire or if heated, a pressure increase will occur and the container may burst.
	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific data.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific data.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific data.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific data.
Special protective actions for fire-fighters	BioOcean® Stop Solution	No specific data.
	BioOcean® Amplification Reagent	No specific data.
	BioOcean® Amplification Diluent	No specific data.
	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® Stop Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® Amplification Reagent	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® Amplification Diluent	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BioOcean® Stop Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BioOcean® Amplification Reagent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BioOcean® Amplification Diluent	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

#### For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

#### Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® Mouse IL-17A Standard (lyophilized)	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® Stop Solution	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® Amplification Reagent	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
BioOcean® Amplification Diluent	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).

#### Advice on general occupational hygiene

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BioOcean® Mouse IL-17A Standard (lyophilized)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



Conditions for safe storage  
including any incompatibilities

BioOcean® Stop Solution

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

BioOcean® Amplification Reagent

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

BioOcean® Amplification Diluent

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

BioOcean® anti-Mouse IL-17A detect antibody(100X)

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® Mouse IL-17A Standard (lyophilized)

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® Stop Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® Amplification Reagent

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,

BioOcean® Amplification Diluent

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry,



## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields.

### Skin protection

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

### Physical state

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Liquid.
BioOcean® Mouse IL-17A Standard (lyophilized)	Solid
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Liquid.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Liquid.
BioOcean® Stop Solution	Liquid.
BioOcean® Amplification Reagent	Liquid.
BioOcean® Amplification Diluent	Liquid.

### Color

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
BioOcean® Stop Solution	Not available.
BioOcean® Amplification Reagent	Not available.
BioOcean® Amplification Diluent	Not available.

### Odor

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
BioOcean® Stop Solution	Not available.
BioOcean® Amplification Reagent	Not available.
BioOcean® Amplification Diluent	Not available.

Flash point	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Auto-ignition temperature	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Flammable limits	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Molecular weight	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Molecular formula	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
pH	BioOcean® anti-Mouse IL-17A detect antibody(100X)	7.0-7.2
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	7.0-7.2
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	7.0-7.2
	BioOcean® Stop Solution	1.1-1.3
	BioOcean® Amplification Reagent	0
	BioOcean® Amplification Diluent	14

Boiling/condensation point	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Melting/freezing point	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Relative density	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Vapor pressure	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Vapor density	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Volatility	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Evaporation rate	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.

	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Viscosity	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Solubility	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
Physical/chemical properties comments	BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
	BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
	BioOcean® Stop Solution	Not available.
	BioOcean® Amplification Reagent	Not available.
	BioOcean® Amplification Diluent	Not available.
<b>Section 10. Stability and reactivity</b>		
Reactivity	BioOcean® anti-Mouse IL-17A detect antibody(100X)	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® Mouse IL-17A Standard (lyophilized)	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® Stop Solution	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® Amplification Reagent	No specific test data related to reactivity available for this product or its ingredients.
	BioOcean® Amplification Diluent	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	BioOcean® anti-Mouse IL-17A detect antibody(100X)	The product is stable.
	BioOcean® Mouse IL-17A Standard (lyophilized)	The product is stable.
	BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	The product is stable.
	BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	The product is stable.
	BioOcean® Stop Solution	The product is stable.
	BioOcean® Amplification Reagent	The product is stable.

BioOcean® Amplification Diluent

The product is stable.

**Possibility of hazardous reactions**

BioOcean® anti-Mouse IL-17A detect antibody(100X)

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® Mouse IL-17A Standard (lyophilized)

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® Stop Solution

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® Amplification Reagent

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

BioOcean® Amplification Diluent

Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid**

BioOcean® anti-Mouse IL-17A detect antibody(100X)

No specific data.

BioOcean® Mouse IL-17A Standard (lyophilized)

No specific data.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

No specific data.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

No specific data.

BioOcean® Stop Solution

No specific data.

BioOcean® Amplification Reagent

No specific data.

BioOcean® Amplification Diluent

No specific data.

**Incompatible materials**

BioOcean® anti-Mouse IL-17A detect antibody(100X)

No specific data.

BioOcean® Mouse IL-17A Standard (lyophilized)

No specific data.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

No specific data.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

No specific data.

BioOcean® Stop Solution

No specific data.

BioOcean® Amplification Reagent

No specific data.

BioOcean® Amplification Diluent

No specific data.

**Hazardous decomposition products**

BioOcean® anti-Mouse IL-17A detect antibody(100X)

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® Mouse IL-17A Standard (lyophilized)

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® Streptavidin-HRP (100x) and Substrate Reagent

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® Stop Solution

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® Amplification Reagent

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

BioOcean® Amplification Diluent

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity: Not available.

Irritation/Corrosion: Not available.

Sensitization: Not available.

Mutagenicity: Not available.

Carcinogenicity: Not available.

Reproductive toxicity: Not available.

Teratogenicity: Not available.

Specific target organ toxicity (single exposure): Not available.

Specific target organ toxicity (repeated exposure): Not available.

Aspiration hazard: Not available.

Information on the likely routes of exposure: Not available.

### Potential acute health effects

Eye contact: Not available.

Inhalation: Not available.

Skin contact: Not available.

Ingestion: Not available.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Not available.

Inhalation: Not available.

Skin contact: Not available.

Ingestion: Not available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure: Not available.

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure: Not available.

Potential immediate effects: Not available.

Potential delayed effects: Not available.

### Potential chronic health effects:

General: Not available.

Carcinogenicity: Not available.

Mutagenicity: Not available.

Teratogenicity: Not available.

Developmental effects: Not available.

Fertility effects: Not available.

Numerical measures of toxicity Acute toxicity estimates: Not available.

Interactive effects: Not available.

Other information: Not available.

## Section 12. Ecological information

Toxicity: Not available.

Persistence and degradability: Not available.

Bioaccumulative potential: Not available.

### Mobility in soil

#### Soil/water partition: coefficient ( $K_{oc}$ )

BioOcean® anti-Mouse IL-17A detect antibody(100X)	Not available.
BioOcean® Mouse IL-17A Standard (lyophilized)	Not available.
BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)	Not available.
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent	Not available.
BioOcean® Stop Solution	Not available.
BioOcean® Amplification Reagent	Not available.
BioOcean® Amplification Diluent	Not available.

Mobility: Not available.

Other adverse effects: No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

**Special precautions for user:** Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not available.

## Section 15. Regulatory information

**U.S. Federal regulations:** TSCA 8(a) CDR Exempt/Partial exemption: Not determined

**United States inventory (TSCA 8b):** Not determined.

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs):** Not listed

**Clean Air Act Section 602 Class I Substances:** Not listed

**Clean Air Act Section 602 Class II Substances:** Not listed

**DEA List I Chemicals (Precursor Chemicals):** Not listed

**DEA List II Chemicals (Essential Chemicals):** Not listed

**SARA 302/304 Composition/information on ingredients**

Name	%	EHS	SARA 302 TPQ (lbs)	(gallons)	SARA 304 RQ (lbs)	(gallons)
BioOcean® Substrate Reagent with hydrogen peroxide	0-1	Yes.	1000	106.1	1000	106.1

**SARA 304 RQ:** 68292000 lbs / 31004568 kg

**SARA 311/312 Classification:** Not applicable.

**Composition/information on ingredients:** No products were found.

### State regulations

**Massachusetts:** None of the components are listed.

**New York:** None of the components are listed.

**New Jersey:** None of the components are listed.

**Pennsylvania:** None of the components are listed.

## Section 15. Regulatory information

### International regulations

**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

**Montreal Protocol (Annexes A, B, C, E)**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants**

Not listed.

**Rotterdam Convention on Prior Inform Consent (PIC)**

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### Canada

#### WHMIS (Canada)

BioOcean® anti-Mouse IL-17A detect antibody(100X)

Not controlled under WHMIS (Canada).

BioOcean® Mouse IL-17A Standard (lyophilized)

Not controlled under WHMIS (Canada).



BioOcean® PBS Buffer with Tween 20 (Assay, Diluent or Washing buffer)  
BioOcean® Streptavidin-HRP (100x) and Substrate Reagent  
BioOcean® Stop Solution  
BioOcean® Amplification Reagent  
BioOcean® Amplification Diluent

Not controlled under WHMIS (Canada).  
Not controlled under WHMIS (Canada).  
Not controlled under WHMIS (Canada).  
Not controlled under WHMIS (Canada).  
Not controlled under WHMIS (Canada).

Canadian lists [Canadian NPRI](#): None of the components are listed.

[CEPA Toxic substances](#): None of the components are listed

[Canada inventory](#): Not determined.

## Section 16. Other information

[Hazardous Material Information System \(U.S.A.\)](#)

<b>Health</b>	0
<b>Flammability</b>	0
<b>Physical hazards</b>	0

The customer is responsible for determining the PPE code for this material.

[National Fire Protection Association \(U.S.A.\)](#)



[History](#)

[Date of issue/Date of revision](#): 6/11/2016

[Date of previous issue](#): No previous validation.

[Version](#): 1

## Section 16. Other information

[Key to abbreviations](#):

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

[Notice to reader](#)

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.